



Long Weld Neck Flanges

The comprehensive range of Long Weld Neck Flanges is needed normally piping, refineries, and other similar industrial sectors. These Long Weld Neck Flanges are usually procured coming from legitimate companies, who definitely are determined on such ground as their market credibility. Our Long Weld Neck Flanges are usually liked for salient features like corrosion resistance, high patience, and also more time useful lifestyle.



Long Weld Neck Flanges Product Range

Long Weld Neck Flanges Range

1/2" (15 NB) to 48" (1200NB) in 150 LBS, 300 LBS, 600 LBS, 900 LBS, 1500 LBS, 2500 LBS ASA 150, ASA 300, PN 6,10,16,25, 40,64,100,160 ETC. Available with NACE MR 01-75

Stainless Steel Long Weld Neck Flanges

Grade : 304, 304L, 304H, 309, 310, 310S, 316, 316Ti, 316 L, 317, 317L, 321, 347, 347 H, 409, 410, 410S, 420, 430L

Duplex Steel Long Weld Neck Flanges

Grade : 2205 (UNS No. S31803), 2507 (UNS No. S32750)

Nickel Alloy Long Weld Neck Flanges

Grade : Nickel 200 (UNS No. N02200), Nickel 201 (UNS No. N02201), Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500), Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825), Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625), Inconel 601 (UNS No. N06601), Hastelloy C 276 (UNS No. N10276), Alloy 20 (UNS No. N08020), Titanium (Grade I & II)

Copper Alloy Long Weld Neck Flanges

Grade : UNS No. C 10100, 10200, 10300, 10800, 12000, 12200, 70600, 71500, UNS No. C 70600 (Cu - Ni- 90/10), C 71500 (Cu -Ni- 70/30)

Long Weld Neck Flanges Standard

ANSI : ANSI B16.5, ANSI B16.47, MSS SP44, ANSI B16.36, ANSI B16.48

DIN : DIN2527, DIN2566, DIN2573, DIN2576, DIN2641, DIN2642, DIN2655, DIN2656, DIN2627,

| | | |
|-----------------------|---|---|
| Address | : | Rexino Stainless & Alloys, Shop No. 6, Ghojaria Estate no. 2 Kharwa Lane, 6th Kumbharwada Kumbharwada Mumbai- 400004 |
| E-mail | : | info@rexinostainless.com , export@rexinostainless.com |
| Visit Us | : | www.rexinostainless.com |
| Contact Person | : | Mr. Bhavesh Chandan |
| Mobile | : | +91- 9920773453 |



DIN2628, DIN2629, DIN 2631, DIN2632, DIN2633, DIN2634, DIN2635, DIN2636, DIN2637,
DIN2638, DIN2673
B.S : BS4504 , BS4504, BS1560, BS10
OTHER : PLATE, PLATE BLANK

Value Added Services for Long Weld Neck Flanges

HOT DIPPED GALVANIZING
HEAT TREATMENT
CNC MACHINING
THREADING

| | | |
|-----------------------|---|---|
| Address | : | Rexino Stainless & Alloys, Shop No. 6, Ghojaria Estate no. 2 Kharwa Lane, 6th Kumbharwada Kumbharwada Mumbai- 400004 |
| E-mail | : | info@rexinostainless.com , export@rexinostainless.com |
| Visit Us | : | www.rexinostainless.com |
| Contact Person | : | Mr. Bhavesh Chandan |
| Mobile | : | +91- 9920773453 |



REXINO

STAINLESS & ALLOYS

Technical Specification

150 LB. FLANGES

| Normal pipe size | Outside dia. of flange | Minimum thickness of flange | Overall Length | | | Bolt Circle | No. and Size of Holes | | O.D. of raised face |
|------------------|------------------------|-----------------------------|----------------|--------------------------|-----------|-------------|-----------------------|------|---------------------|
| | | | Welding neck | Slip-on & socket welding | Lap Joint | | No. | dia. | |
| | O | Q | Y | | | Diam. | | R | |
| 1/2 | 89 | 11.2 | 47.6 | 15.7 | 15.7 | 60.5 | 4 | 15.7 | 35.1 |
| 3/4 | 99 | 12.7 | 57.2 | 15.7 | 15.7 | 69.9 | 4 | 15.7 | 42.9 |
| 1 | 108 | 14.3 | 55.6 | 17.5 | 17.5 | 79.2 | 4 | 15.7 | 50.8 |
| 1.1/4 | 117 | 15.7 | 57.2 | 20.6 | 20.6 | 89.9 | 4 | 15.7 | 63.5 |
| 1.1/2 | 127 | 17.5 | 61.9 | 22.4 | 22.2 | 98.6 | 4 | 15.7 | 73.2 |
| 2 | 152 | 19.1 | 63.5 | 25.4 | 25.4 | 120.7 | 4 | 19.1 | 91.9 |
| 2.1/2 | 178 | 22.4 | 69.9 | 28.4 | 28.4 | 139.7 | 4 | 19.1 | 104.6 |
| 3 | 191 | 23.9 | 69.9 | 30.2 | 30.2 | 152.4 | 4 | 19.1 | 127 |
| 3.1/2 | 216 | 23.9 | 71.4 | 31.8 | 31.8 | 177.8 | 8 | 19.1 | 139.7 |
| 4 | 229 | 23.9 | 76.2 | 33.3 | 33.3 | 190.5 | 8 | 19.1 | 157.2 |
| 5 | 254 | 23.9 | 88.9 | 36.6 | 36.6 | 215.9 | 8 | 22.4 | 185.7 |
| 6 | 279 | 25.4 | 88.9 | 39.6 | 39.6 | 241.3 | 8 | 22.4 | 215.9 |
| 8 | 343 | 28.4 | 101.6 | 44.5 | 44.5 | 298.5 | 8 | 22.4 | 269.7 |
| 10 | 406 | 30.2 | 101.6 | 49.3 | 49.3 | 362.0 | 12 | 25.4 | 323.9 |
| 12 | 483 | 31.8 | 114.3 | 55.6 | 55.6 | 431.8 | 12 | 25.4 | 381 |
| 14 | 533 | 35.1 | 127.0 | 57.2 | 79.2 | 476.3 | 12 | 28.4 | 412.8 |
| 16 | 597 | 36.6 | 127.0 | 63.5 | 87.4 | 539.8 | 16 | 28.4 | 469.9 |
| 18 | 635 | 39.6 | 139.7 | 68.3 | 93.8 | 577.9 | 16 | 31.8 | 533.4 |
| 20 | 699 | 42.9 | 144.5 | 73.2 | 103.1 | 635.0 | 20 | 31.8 | 584.2 |
| 24 | 813 | 47.8 | 152.4 | 82.6 | 111.3 | 749.3 | 20 | 35.1 | 692.2 |

Address : Rexino Stainless & Alloys,
 Shop No. 6, Ghojaria Estate no. 2
 Kharwa Lane, 6th Kumbharwada
 Kumbharwada
 Mumbai- 400004
E-mail : info@rexinostainless.com ,
export@rexinostainless.com
Visit Us : www.rexinostainless.com
Contact Person : **Mr. Bhavesh Chandan**
Mobile : **+91- 9920773453**